



Ethoxy Propyl Acetate

Test Description	Test Method	Unit of Measure	Specification
Appearance	ASTM D 4176	-	Clear and Bright
Purity	GC	% weight	99.5
Water Content	ASTM D 1364	% weight	0.02
Density @20°C	ASTM D 4052	Kg/l	0.94
Boiling Point	-	°C	159
Evaporation Time	ASTM D 3539	Seconds	2570
Color	ASTM D 1209	Pt-Co	<5
Flash Point	IP 170	°C	51

Comments: Physical properties are not monitored constantly.

Issue of revision date: 21.10.2020

—
Spec Version:1