



Mixed Xylene

Test Description	Test Method	Unit of Measure	Specification
Appearance	Visual	-	Colorless & transparent liquid having no foreign matter
Density @ 20 °C (Vac)	ASTM D 4052	Kg/l	0.86 to 0.87
Colour	ASTM D 1209	Pt/Co	LT 10
Distillation	ASTM D 850	°C	
IBP	ASTM D 850	°C	Min 135
DP	ASTM D 850	°C	Max 145
Acid Wash Colour	ASTM D 848	-	2 Max
Copper Corrosion	ASTM D 849	-	Report
Water Content	ASTM E 1064	% Weight	-
Flash Point	IP 170	°C	Min 24
Non-Aromatics Hydrocarbons	ASTM D 2360	% Volume	2 Max
Ethyl Benzene	ASTM D 2360	% Volume	Report

Comments: Physical properties are not monitored constantly.

Issue of revision date: 21.10.2020

—
Spec Version:1